




Materials

Stationary
Elastomer

- Cer / Sic / SSic / TC / ChrStl
- NBR / EPDM / Viton



Shaft ØD				ØD4	ØD7	L4	L7
Imperial		Metric					
9.5	0095	10	0100	11.0	24.60	8.7	7.5
12.7	0127	12	0120	13.5	27.80	8.7	7.5
15.8	0158	14	0140	17.0	30.95	10.3	9.0
		16	0160				
19.1	0191	17	0170	20.0	34.15	10.3	9.0
		18	0180				
		19	0190				
20.6	0206	20	0200	21.5	35.70	10.3	9.0
22.2	0222	22	0220	23.0	37.30	10.3	9.0
25.4	0254	24	0240	26.5	40.50	10.3	
		25	0250				9.0
28.5	0285	27	0270	29.5	47.65	11.9	10.5
		28	0280				
		29	0290				
31.7	0317	30	0300	32.5	50.80	11.9	10.5
		32	0320				
34.9	0349	34	0340	36.5	54.00	11.9	10.5
		35	0350				
38.1	0381	38	0380	39.5	57.15	11.9	10.5
41.2	0412	40	0400	42.5	60.35	11.9	10.5
44.4	0444	42	0420	46.0	63.50	11.9	10.5
		43	0430				
		45	0450				
47.6	0476	48	0480	49.0	66.70	11.9	10.5
50.8	0508	50	0500	52.0	69.85	13.5	12.0
53.9	0539	53	0530	55.5	73.05	13.5	12.0
		54	0540				
57.1	0571	55	0550	58.5	76.20	13.5	12.0
60.3	0603	60	0600	61.5	79.40	13.5	12.0
63.5	0635	63	0630	-	82.55	13.5	-
66.6	0666	65	0650	68.0	92.10	15.9	14.5
69.8	0698	70	0700	71.0	95.25	15.9	14.5
73.0	0730	73	0730	-	98.45	15.9	-
76.2	0762	75	0750	77.5	101.60	15.9	14.5
79.3	0793	-	-	-	111.15	19.9	-
82.5	0825	80	0800	84.0	114.30	19.9	18.5
85.7	0857	85	0850	87.0	117.50	19.9	18.5
88.9	0889	90	0900	93.5	120.65	19.9	18.5
92.0	0920	-	-	-	123.85	19.9	-
95.2	0952	95	0950	96.5	127.00	19.9	18.5
98.4	0984	-	-	-	130.20	19.9	-
101.6	1016	100	1000	103.0	133.35	19.9	18.5